

Work Order ID 74148

Page 1

Monday, September 26, 2011 9:48:51 AM

Item ID: D4406-043

Accept



Setup Start



Revision ID:

Stop



Item Name: Aft Wearplate Assembly

Start Date: 9/26/2011 Start Qty: 4.00



Cust Item ID:

Required Date: 10/7/2011 Req'd Qty: 4.00



Customer:

Reference:

Run Start



Approvals:

Process Plan:

Date:

Tooling:

Date:

Stop



QC:

Date:

SPC (Y/N):

Date:

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr

Revision Nbr

D4406

A

100

0.00



Waterjet

Memo

0.00

FLOW CNC Waterjet

1-Cut as per dwg D4406

prog rev: Adwg rev: A

304.050

2-Deburr if required

B11-9-27

(4)

110

QC2- Inspect parts off machine FAI/FAIB

0.00



QC

Memo

0.00

Quality Control

B11-9-27

Work Order ID 74148

Monday, September 26, 2011 9:48:51 AM

Page 2

Item ID: D4406-043

Accept

Setup Start

Revision ID:

Stop

Item Name: Aft Wearplate Assembly

Start Date: 9/26/2011 Start Qty: 4.00

Cust Item ID:

Required Date: 10/7/2011 Req'd Qty: 4.00

Customer:

Reference:

Run Start

Approvals:

Process Plan:

Date:

Tooling:

Date:




Stop

QC:

Date:

SPC (Y/N):

Date:

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120  QC Quality Control	QC8- Inspect parts - second check Memo	0.00 0.00		51169128		(74)			
130  Small Fab Small Fab	 Memo Form as per dwg D4406	0.00 0.00		SB 1169129		(4)			
140  QC Quality Control	QC5- Inspect part completeness to step on W/O Memo	0.00 0.00		51169129		(74)			

Work Order ID 74148

Monday, September 26, 2011 9:48:51 AM



Page 3

Item ID: D4406-043

Accept



Setup Start



Revision ID:

Stop



Item Name: Aft Wearplate Assembly

Start Date: 9/26/2011 Start Qty: 4.00



Cust Item ID:

Required Date: 10/7/2011 Req'd Qty: 4.00



Customer:

Reference:

Run Start



Approvals:

Process Plan:

Date:

Tooling:

Date:

Stop



QC:

Date:

SPC (Y/N):

Date:

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

150

0.00



Large Fab

Memo

0.00

weld wearplate as per dwg D4406

2059B - M119373

2059B - M119615

EL 11-11-28

JBL 11-11-28

SS 316 - M117659 JBL 11-11-29

X4

160

0.00



QC

Quality Control

Memo

0.00

QC10- Inspect visual per QSI004- ground welds

PC 11-11-29

4x

170

0.00



Small Fab

Memo

0.00

Apply coating as per dwg D4406

4x 11-11-30 (X4)

Work Order ID 74148

Monday, September 26, 2011 9:48:51 AM



Page 4

Item ID: D4406-043

Accept



Setup Start



Revision ID:

Stop



Item Name: Aft Wearplate Assembly

Start Date: 9/26/2011 Start Qty: 4.00



Cust Item ID:

Required Date: 10/7/2011 Req'd Qty: 4.00



Customer:

Reference:

Run Start



Approvals:

Process Plan:

Date:

Tooling:

Date:

Stop



QC:

Date:

SPC (Y/N):

Date:

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

180

QC5- Inspect part completeness to step on W/O

0.00



QC

Memo

0.00

Quality Control

11.12.01 (1)

190

Identify as per dwg & Stock Location: FP-2

0.00



Packaging

Memo

0.00

Packaging

x4 of all 11/12/01
COUNTED & MEASURED

200

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

11/12/11

11/12/11 (4)

Picklist Print

Page 1

Monday, September 26, 2011 9:48:48 AM

Work Order ID: 74148

Parent Item: D4406-043

Parent Item Name: Aft Wearplate Assembly



Start Date: 9/26/2011

Required Date: 10/7/2011

Start Qty: 4.00

Required Qty: 4.00

Comments: IPP Rev A 11.06.06new issue EC verified by:DD

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

D4407-3		Manufactured	No			150	Each	0.0000	1	4			
---------	--	--------------	----	--	--	-----	------	--------	---	---	--	--	--



Bar

B 74152 x 4

M304S18GA

Purchased

No

100

sf

55.5550

3.21

13.51579



304/316 .050 Sheet



B 11-9-27

Location

Loc Qty

Loc Code

MAT020

55.555

113062

0.155

116979

55.4

119032

119032

(4)

DART AEROSPACE LTD	Work Order: 74148
Description: AFT WEAR PLATE ASSEMBLY	Part Number: D4406-042
Inspection Dwg: D4406-3, Rev: A	Page 1 of 1


FIRST ARTICLE INSPECTION CHECKLIST


☒ First Article ☒ Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
.561	± .01	.562	✓		V Bo2	
.130	± .01	.128	✓		V	
.88	± .01	.88	✓		V	
.13	± .01	.125	✓		V	
.31	± .01	.313	✓		V	
1.76	± .01	1.758	✓		V	
24.945	± .01	24.995	✓		T Bo1	
47.833	± .01	47.833	✓		T	
54.653	± .01	54.653	✓		T	
2.43	± .01	2.434	✓		V	
7.567	± .01	7.561	✓		V	
8.17	± .01	8.165	✓		V	
7.78	± .01	7.775	✓		V	
7.133	± .01	7.135	✓		V	
7.77	± .01	7.773	✓		V	
7.203	± .01	7.208	✓		V	
3.63	± .01	3.628	✓		V	
7.00	± .01	7.003	✓		V	
4.00	± .01	3.997	✓		V	
.050	± .01	.048	✓		V	


Measured by: RB	Audited by: S	Prototype Approval:
Date: 11-9-07	Date: 11/08/08	Date:

Rev	Date	Change	Revised by	Approved
A		New Issue	KJ/JLM	





D4406-041 FWD WEARPLATE ASSY




D4406-043 AFT WEARPLATE ASSY

40 74148


ITEM	QTY -041	QTY -043	P/N	DESCRIPTION
1	X		D4406-041	FWD WEARPLATE ASSY
2		X	D4406-043	AFT WEARPLATE ASSY
3	1		D4406-1	PLATE
4		1	D4406-3	PLATE
5	1		D4407-1	BAR
6		1	D4407-3	BAR
7	A/R	A/R	2059B	HARDCOAT
8	A/R	A/R	4714	PLUS ONE ROCKGUARD (SEE NOTE 11, SHT 2 & 3)

RELEASED
R 2011-08-29

A	NEW ISSUE	RF	11.08.15
REV.	DESCRIPTION	BY	DATE
DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. A
MFG. APPR.	<i>[Signature]</i>	D4406	SHEET 1 OF 6
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	WEARPLATE ASSY	NTS
DATE	11.08.15	COPYRIGHT © 2011 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	



D4406-041 FWD WEARPLATE ASSY




SECTION A-A
SCALE 2X

RELEASED
2011-08-29
JW


NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
- 7) WEIGHT: 5.12 lbs
- 8) WELDING: PER QSI 004
- 9) 2059B HARDCOAT WELD, 0.19 THICK x 0.50 WIDE, FLUSH WITH D4407-1 BAR ON ALL 3 SURFACES
- 10) COAT ENTIRE TOP (CONCAVE) SURFACE WITH A LAYER OF PLUS ONE ROCKGUARD 4714, 0.020-0.040 THICK
- 11) FORM TO MATCH PROFILE OF D4406-1 AT TIME OF WELDING
- 12) TRANSFER Ø0.188 HOLES FROM D4406-1 TO D4407-1

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. A
MFG. APPR.	<i>[Signature]</i>	D4406	SHEET 2 OF 6
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	WEARPLATE ASSY	NTS
DATE	11.08.15	<small>COPYRIGHT © 2011 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	



D4406-043 AFT WEARPLATE ASSY





C3-3 **SECTION B-B**
SCALE 2X

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
- 7) WEIGHT: 4.57 lbs
- 8) WELDING: PER QSI 004
- 9) 20598 HARDCOAT WELD, 0.19 THICK x 0.50 WIDE, FLUSH WITH D4407-3 BAR ON ALL 3 SURFACES
- 10) COAT ENTIRE TOP (CONCAVE) SURFACE WITH A LAYER OF PLUS ONE ROCKGUARD 4714, 0.020-0.040 THICK
- 11) FORM TO MATCH PROFILE OF D4406-3 AT TIME OF WELDING
- 12) FILL TOOLING HOLE WITH WELD ONE PLACE ONLY
- 13) TRANSFER $\phi 0.188$ HOLES FROM D4406-3 TO D4407-3

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>MP</i>	DRAWING NO. D4406	REV. A
MFG. APPR.	<i>MP</i>	SHEET 3 OF 6	
APPROVED	<i>MP</i>	TITLE	SCALE
DE APPR.	<i>MP</i>	WEARPLATE ASSY	NTS
DATE	11.08.15	COPYRIGHT © 2011 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL. AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

RELEASE
2011-08-29





NOTES:

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET, 0.050 THICK (18 GAUGE)
PER AMS 5513 OR 5524
OR ASTM A240 OR ASME SA240
REF. DART SPEC. M304S18GA
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 2.33 lbs

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO. D4406	REV. A
MFG. APPR.	<i>[Signature]</i>	TITLE WEARPLATE ASSY	SHEET 4 OF 6
APPROVED	<i>[Signature]</i>	SCALE NTS	
DE APPR.	<i>[Signature]</i>	COPYRIGHT © 2011 BY DART AEROSPACE LTD	
DATE	11.08.15	THIS DOCUMENT IS PROPRIETARY AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

RELEASED
2011-08-29




NOTES:

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET, 0.050 THICK (18 GAUGE)
PER AMS 5513 OR 5524
OR ASTM A240 OR ASME SA240
REF. DART SPEC. M304S18GA
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 2.33 lbs


RELEASED
2011-08-29
JND

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. A
MFG. APPR.	<i>[Signature]</i>	D4406	SHEET 5 OF 6
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	WEARPLATE ASSY	NTS
DATE	11.08.15	<small>COPYRIGHT © 2011 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS UNDERSTANDING THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD</small>	




DETAIL D
SLOT DETAIL TYP
SCALE 6X

C3-4
C4-5




DETAIL E
SLOT DETAIL TYP
SCALE 6X

C2-4
C4-5



DETAIL C
DETAIL TYP
SCALE 6X

D2-4
D6-5



DETAIL F
SLOT DETAIL TYP
SCALE 6X

C1-4
B1-5

RELEASED
2011-08-29
JW

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO. D4406	REV. A SHEET 6 OF 6
MFG. APPR.	<i>[Signature]</i>	TITLE WEARPLATE ASSY	SCALE NTS
DE APPR.	<i>[Signature]</i>	COPYRIGHT © 2011 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	
DATE	11.08.15		